

## JD13-16 Hand Electric Strapping Tool Machine For Polypropylene Polyester Strap

Our Product Introduction

for more products please visit us on [setuopack.com](http://setuopack.com)

### Basic Information

- Place of Origin: China
- Brand Name: Zhuoyu
- Certification: CE
- Model Number: JD13/16
- Minimum Order Quantity: 1 stage
- Price: To be discussed
- Packaging Details: 443\*280\*180mm
- Delivery Time: 10-15 work days
- Payment Terms: MoneyGram, Western Union, T/T, D/P, D/A, L/C
- Supply Ability: 100+box+10days



### Product Specification

- Strapping Speed: 2.5 Seconds/strap
- Strap Thickness: 0.4-1.2mm
- Strap Material: Polyester (PET) Or Polypropylene (PP)
- Tensioning Force: 60-280kg
- Sealing Method: Heat Sealing
- Strap Width: 12mm
- Frequency: 50/60Hz
- Adjustable Strap Tension: Yes
- Automatic Cut-Off: Yes
- Weight: 3.5kg
- Model: ES-100
- Dimensions: 340mm X 130mm X 120mm
- Power Source: Electric
- Voltage: 110V/220V
- Highlight: Polyester Electric Strapping Tool,



### More Images



### Product Description

This electric baler uses a high-performance motor to ensure that the packing belt can be firmly bound to the item, preventing loose or broken during transportation or storage.

Our Product Introduction



Support PET and PP two kinds of material packaging belt, these two materials have good toughness and wear resistance, can meet the packaging needs of different scenarios.



The built-in 3,000mah large-capacity battery can be fully charged in just 90 minutes. After full charge, it can continuously play about 120 strips. The operation of this product is very simple, only a few steps to learn easily, and the welding effect is very good.



With the purchase of this baler, you will receive a complete set of accessories, including packing tape, charger, instruction manual, etc. The provision of these accessories not only facilitates the use of users, but also reduces the procurement cost of users.



width	13-16mm
-------	---------

Thickness	0.4-1.2mm
Appcable Straps Type	PET,PP
Strapping Force	600-2800N
Charging time	90min
Battery Voltage	11.1V
Battery Capacity	3.0Ah
Taping quantity	100-150
Net weight (n.w.)	2.8kg



Anhui Zhuoyu Industrial Manufacture Co., Ltd.



setuopack.com

Room 101, 1st Floor, Building A3, Innovation industrial Park, 800 Wangjiang WestRoad, High-tech Zone, Hefei, Anhui, China.